

Alpine® WSG

Water Soluble Granule Insecticide

KILLS: Ants (including Argentine, Carpenter, Harvester, Odorous House, Red Imported and Southern Fire; excluding Pharaoh), Asian Lady Beetles, Bean Plataspid (= Kudzu Bug), Bed Bugs, Brown Marmorated Stink Bugs, Centipedes, Collembola, Crickets, Earwigs, Fleas, German Cockroaches, House Flies, Millipedes, Mosquitoes (*Anopheles*), Paper Wasps, Pillbugs, Sowbugs, Spiders (excluding Brown Recluse) and Yellowjackets

FOR USE IN AND AROUND: Apartments; Campgrounds; Cemeteries; Clinics; Dog Kennels; Green Belts; Homes; Hospitals; Hotels; Mausoleums; Mobile Homes; Motels; Non Food/Feed Areas of Food Processing Plants; Nursing Homes; Resorts; Schools; Storage Buildings; Trailers; Transportation Equipment [Autos, Buses, Boats, Ships, Trains, Trucks, Planes (cargo areas only)]; Utilities; Warehouses; Commercial, Industrial and Residential Buildings; Theme Parks; Parks & Recreational Areas, and Zoos

ACTIVE INGREDIENT:

Dinotefuran: N-methyl-N-[(tetrahydro-3-furanyl)methyl]guanidine 40.0%

OTHER INGREDIENTS: 60.0%
TOTAL: 100.0%

EPA Reg. No. 499-561

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15 – 20 min. Remove contact lenses, if present after the first 5 min, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-832-HELP, 7 days/week; 24 hr/day, for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wear long-sleeved shirt and long pants, socks and shoes, and chemical-resistant gloves (made out of any waterproof material, such as Natural Rubber, selection Category A).

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to shrimp. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may

be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

PHYSICAL AND CHEMICAL HAZARDS

Do not apply water-based sprays of this product to conduits, motor housing, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not spray where electrical short circuits might result, such as wall outlets, conduits, etc.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

USE RESTRICTIONS:

- Do not apply within aircraft cabins.
- Do not use in outdoor residential misting systems.
- Do not apply to humans or their clothing. Do not allow children or pets to contact treated surfaces until spray has dried.
- Do not apply to household pets. Cover fish tanks prior to application near tanks.
- Do not apply this product in patient rooms while occupied.
- Do not apply to classrooms when in use.
- Do not apply in food/feed areas of food handling establishments. When applying in residential or commercial structures, do not contaminate food, feed stuffs or water supply. Do not contaminate food preparation surfaces, kitchen utensils, dishes or food/feed storage containers. Cover any food/feed contact surfaces and cooking utensils, in the treatment area, before treatment or thoroughly clean after treatment and before using.
- Apply to the point just prior to run-off. Do not allow application to drip or run-off from surfaces.

PRODUCT INFORMATION

This product is a water-soluble granule containing the non-repellent active ingredient, dinotefuran. Apply indoors and/or outdoors via Crack & Crevice, spot or surface application for the listed pests and use sites.

MIXING INSTRUCTIONS

Thoroughly clean spray equipment before mixing and application of this product.

Add approximately 1/2 of the water to the spray tank. Tear open the packet and add contents to water, then complete the filling of the spray tank. Agitate the tank until the product is completely dissolved. Reagitate finished dilution if application is interrupted for an extended period of time or if dilution is left in tank overnight.

SPRAY DILUTION CHART

| Desired Finished Dilution Concentration | Amount of product to make 1 gal of finished dilution to treat up to 1,000 ft ² | Amount of product to make 5 gal of finished dilution to treat up to 5,000 ft ² | Amount of product to make 25 gal of finished dilution to treat up to 25,000 ft ² | Amount of product to make 50 gal of finished dilution to treat up to 50,000 ft ² |
|---|---|---|---|---|
| 0.1% | 10g | 50g | 250g | 500g |
| 0.2% | 20g | 100g | 500g | 1,000g |
| 0.3% | 30g | 150g | 750g | 1,500g |

Refer to specific pest categories below for the proper use rate. **One gallon of finished dilution treats 1,000 ft².** Depending on the surface, more or less water may be used to properly treat areas with different application apparatus, but the proper amount of active ingredient should be used per square footage.

Tank Mixing: This product may be tank mixed with other water based insecticides including, but not limited to insect growth regulators (IGR), quick knockdown products and residuals. Before mixing test to see if products are compatible. When tank mixing, follow the more restrictive label use directions of the mixed products.

NOTE: This specimen label is for informational purposes only. All uses may not be approved in all states. See labeling which accompanied product for Directions for Use or call 800-777-8570 for more information.

Alpine® WSG Water Soluble Granule Insecticide

VOID/CRACK & CREVICE® APPLICATION

Apply into cracks, crevices and voids with equipment designed for such applications. Follow the manufacturer's recommendations for proper equipment set-up and operating pressures. Place the tip of the applicator at or into the crack, crevice or void to be treated. Apply product in short bursts while keeping tip in position. Allow the air stream to push the finished dilution into voids and/or cracks and crevices. Apply in such a manner to avoid dripping and run-off.

INDOOR APPLICATIONS

Dilute to the proper concentration according to targeted pest infestation. Follow the mixing directions found in the dilution chart. Use 1 fl oz of finished dilution per 7 – 10 ft².

Crawling Insects/Pests [including: German Cockroaches, Pillbugs, Crickets, Millipedes and Spiders (excluding: Brown Recluse)] (30g/gal): Make spot and/or Crack & Crevice applications into hiding places and entry points such as cracks and crevices, void areas, moist areas, openings around pipes and sinks, under refrigerators or vending machines, interiorscapes, across lower doorway frame and window openings.

House Flies (20g/gal): Make spot applications on surfaces where flies frequently roost such as door and window frames, screens, trash cans, plants, interiorscapes, ceilings and upper wall surfaces.

Bed Bugs (30g/gal): Make spot and/or Crack & Crevice and/or void applications where evidence of bed bug infestation occurs or bed bugs are suspected, such as bed frames; box springs; inside empty dressers, clothes closets and luggage; carpets; draperies; furniture; headboards; high and low wall moldings and wallpaper edges. Do not apply to mattresses.

Ants [excluding Pharaoh] (10g/gal): Make spot, Crack & Crevice and/or void applications where ants may be foraging and/or nesting, such as, around doors, window frames, under sinks, around pipes and in pipe voids, attic venting and other areas where ants may find access or nest.

Fleas (10g/gal): Apply to infested areas or potentially infested areas, such as rugs, floors, carpets, upholstered furniture, pet beds and pet resting areas. When applying to upholstered furniture, treat under cushions and areas where flea development can occur. **Do not treat pets with this product.**

INDOOR AND OUTDOOR APPLICATIONS

Asian Lady Beetles, Brown Marmorated Stink Bugs, Bean Plataspid (= Kudzu Bugs) and Centipedes (30g/gal): Make spot, Crack & Crevice and/or void applications where these pests may harbor or hibernate, such as cracks and crevices, in weep holes, wall voids, around window and door frames, attics and behind siding. Apply to exterior wall surfaces around entry points and resting areas where insects congregate.

Carpenter Ants (20g/gal): Make spot, Crack & Crevice and/or void applications to any trails, inside or outside, around doors and windows and other places where ants may enter premises (such as atriums, attic venting, crawl spaces, ceilings, fences, exterior building surfaces, landscape timbers, garages, hollow doors, soffits, wall voids, weep holes and other void areas). Where possible, directly apply to ant nests or infested wood or trees.

Paper Wasps and Yellowjackets (30g/gal): To treat a yellowjacket or wasp nest, apply liberally to the nest and the surrounding area. For nests inside wall voids, inject an amount sufficient to treat the entire nest. Most applications should require about 0.5 gal of diluted material. Pay attention to surfaces or items that the product may contact (i.e. electrical wiring). Do not use where there is an electrical shock hazard.

THIS PRODUCT DOES NOT PROVIDE INSTANT KNOCKDOWN.

OUTDOOR APPLICATIONS

Exterior Structural and Surrounding Area Applications for Crawling Insects/Pests [including: Collembola, Crickets, Earwigs, Millipedes, Pillbugs, Sowbugs and Spiders (excluding Brown Recluse)] (30g/gal): Directly contacting pests, apply where pests rest, trail and harbor, such as structural and other voids [including voids associated with and around doors, windows, utility entry points, behind siding, weep holes and tree hollows], eaves of structures, around lights or other insect attractant areas, foliage, bushes, landscape materials, garbage receptacles, under trees and other shaded areas.

House Flies (20g/gal): Apply to outside surfaces of screens, doors, window frames, porches, in garages, on foliage or wherever flies enter or congregate around or on the building, directly contacting flies. Apply to inside and outside surfaces of dumpsters, other trash holding containers and surrounding surfaces, directly contacting flies. Begin applications at the start of fly season and repeat during periods of heavy fly activity.

Fleas (10g/gal): Apply to yards, porches, patios or other areas of habitation for fleas, especially areas that pets frequent, directly contacting fleas. Pay particular attention to shaded areas with low protective covering such as under bushes, under decks, lawn furniture, lawn ornaments and other landscape materials. Apply to pet entry areas such as steps and stoops and other areas where pets rest or sit for extended periods of time, directly contacting fleas.

Ants [excluding Pharaoh] (10g/gal): Make spot and/or Crack & Crevice applications to any foraging trails, nests or mounds where ants are present. Make spot and/or Crack & Crevice applications to exterior areas where ants may enter a structure. Where possible, directly apply to ant nests or infested wood or trees. Curative

broadcast applications can be made to yards, lawns, fields, parks, cemeteries, landscaping and structures. To help prevent infestations, make exterior structural and surrounding area applications according to this label.

Mosquitoes (Anopheles) (20g/gal): Apply using hand-held, back-pack or truck mounted sprayers only. Not for use with truck mounted or handheld cold aerosol ULV sprayers, or thermal fogging devices. Do not apply by aircraft. Use up to 50 gal of diluted spray per 50,000 ft². Apply to shrubbery, vegetation and other areas where mosquitoes may rest. Shrubby and vegetation around stagnant pools, marshy areas, ponds and shorelines may be treated if applied as a wet spray. Direct application of this product to any body of water is prohibited.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry area away from heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer empty packet for recycling, if available, or dispose of in the trash or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

CONDITIONS OF SALE AND WARRANTY

Follow the **Directions for Use**. It is impossible to eliminate all risks inherently associated with use of this product, and therefore all such risk shall be assumed by the Buyer. Whitmire warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions for Use**, subject to the inherent risks, referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) WHITMIRE MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND WHITMIRE'S AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) WHITMIRE AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. Whitmire and the Seller offer this product, and the Buyer accepts it, subject to these **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of Whitmire.

Manufactured for:
Whitmire Micro-Gen Research Laboratories, Inc.®
by BASF Corporation
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682
Questions? Call 1-800-777-8570
© 2012 Whitmire Micro-Gen Research Laboratories, Inc.®

NOTE: This specimen label is for informational purposes only. All uses may not be approved in all states. See labeling which accompanied product for Directions for Use or call 800-777-8570 for more information.

Safety Data Sheet

Alpine® WSG

Revision date : 2012/08/02

Version: 1.1

Page: 1/8

(552911/SDS_CPA_US/EN)

1. Product and Company Identification

Company

BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP (4357)

Registrant:

Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis, MO 63122

Substance number: 000000552911
Synonyms: Dinotefuran

2. Hazards Identification

Emergency overview

CAUTION:
KEEP OUT OF REACH OF CHILDREN.
KEEP OUT OF REACH OF DOMESTIC ANIMALS.
Causes eye irritation.
Avoid contact with the skin, eyes and clothing.
Wash thoroughly after handling.

See Product Label for additional precautionary statements.

State of matter: solid
Colour: white
Odour: odourless

Potential health effects**Primary routes of exposure:**

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

Acute toxicity:

Relatively nontoxic after single ingestion. Relatively nontoxic after short-term inhalation. Relatively nontoxic after short-term skin contact.

Irritation / corrosion:

May cause slight irritation to the skin. May cause moderate but temporary irritation to the eyes.

Safety Data Sheet

Alpine® WSG

Revision date : 2012/08/02

Version: 1.1

Page: 2/8

(552911/SDS_CPA_US/EN)

Sensitization:

Skin sensitizing effects were not observed in animal studies.

Medical conditions aggravated by overexposure:

Individuals with pre-existing diseases of the respiratory system, skin or eyes may have increased susceptibility to excessive exposures.

Potential environmental effects

Aquatic toxicity:

There is a high probability that the product is not acutely harmful to fish. There is a high probability that the product is not acutely harmful to aquatic invertebrates. There is a high probability that the product is not acutely harmful to aquatic plants.

3. Composition / Information on Ingredients

| <u>CAS Number</u> | <u>Content (W/W)</u> | <u>Chemical name</u> |
|--------------------------|-----------------------------|-----------------------------|
| 165252-70-0 | 40.0 % | Dinotefuran |
| | 60.0 % | Proprietary ingredients |

4. First-Aid Measures

General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

If inhaled:

Remove the affected individual into fresh air and keep the person calm.

If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

If swallowed:

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting. Have person sip a glass of water if able to swallow.

Note to physician

| | |
|------------|-----------------------------|
| Antidote: | No known specific antidote. |
| Treatment: | Treat symptomatically. |

5. Fire-Fighting Measures

Autoignition: not applicable

Suitable extinguishing media:

water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:

water jet, carbon dioxide

Safety Data Sheet

Alpine® WSG

Revision date : 2012/08/02
Version: 1.1

Page: 3/8
(552911/SDS_CPA_US/EN)

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen oxides, acid halides
The substances/groups of substances mentioned can be released in case of fire.

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions:

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Remove contaminated clothes, undergarments and shoes immediately. Information regarding personal protective measures see, section 8.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Cleanup:

Cleaning operations should be carried out only while wearing breathing apparatus. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

For small amounts: Pick up with suitable appliance and dispose of. Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). Contain with dust binding material and dispose of.

7. Handling and Storage

Handling

General advice:

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid dust formation. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Storage

General advice:

Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed.

Storage incompatibility:

General advice: Segregate from foods and animal feeds.

Safety Data Sheet

Alpine® WSG

Revision date : 2012/08/02

Version: 1.1

Page: 4/8

(552911/SDS_CPA_US/EN)

Temperature tolerance

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls and Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles).

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

| | | |
|---|---------------|----------------|
| Form: | granules | |
| Odour: | odourless | |
| Colour: | white | |
| pH value: | 6.2 | (22.8 °C) |
| Bulk density: | 0.511 g/cm3 | |
| | 4.2645 Lb/USg | |
| Partitioning coefficient n-octanol/water (log Pow): | | not applicable |
| Solubility in water: | | not applicable |

Safety Data Sheet

Alpine® WSG

Revision date : 2012/08/02
Version: 1.1

Page: 5/8
(552911/SDS_CPA_US/EN)

10. Stability and Reactivity

Dust explosivity characteristics:

Kst: 74 m.bar/s

Minimum ignition energy:

> 100 mJ, 7.1 bar

Conditions to avoid:

Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme temperatures. Avoid prolonged exposure to extreme heat. Avoid contamination. Avoid electro-static discharge. Avoid prolonged storage. This product may form an explosive mixture if: 1. the dust is suspended in the atmosphere as a dust cloud AND 2. the concentration of the dust is above the lower explosion limit (LEL) AND 3. the limiting oxygen concentration (LOC) is exceeded.

Substances to avoid:

strong oxidizing agents

Hazardous reactions:

The product is chemically stable.

Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

not fire-propagating

11. Toxicological information

Acute toxicity**Oral:**

Type of value: LD50

Species: rat (female)

Value: > 5,000 mg/kg

Inhalation:

Type of value: LC50

Species: rat (male/female)

Value: > 2.07 mg/l

Exposure time: 4 h

Dermal:

Type of value: LD50

Species: rat (male/female)

Value: > 5,000 mg/kg

Irritation / corrosion**Skin:**

Safety Data Sheet

Alpine® WSG

Revision date : 2012/08/02

Version: 1.1

Page: 6/8

(552911/SDS_CPA_US/EN)

Species: rabbit
Result: Slightly irritating.

Eye:

Species: rabbit
Result: mildly irritating

Sensitization:

Buehler test
Species: guinea pig
Result: Skin sensitizing effects were not observed in animal studies.

Repeated dose toxicity

Information on: Dinotefuran
Experimental/calculated data:
rat (male) day
NOAEL: 100 mg/kg
rat (female) day
NOAEL: 127 mg/kg
dog (male) day
NOAEL: 559 mg/kg
dog (female) day
NOAEL: 22 mg/kg

Carcinogenicity

Information on: Dinotefuran
No data available concerning carcinogenic effects.

Reproductive toxicity

Information on: Dinotefuran
No data available concerning reproduction toxicity.

Development:

Information on: Dinotefuran
No data available concerning teratogenic effects.

12. Ecological Information

Fish

Information on: Dinotefuran
Acute:
Oncorhynchus mykiss/LC50 (96 h): = >100 ppm

Aquatic invertebrates

Information on: Dinotefuran
Acute:
Daphnia magna/EC50 (48 h): >1000 ppm

Aquatic plants

Safety Data Sheet

Alpine® WSG

Revision date : 2012/08/02

Version: 1.1

Page: 7/8

(552911/SDS_CPA_US/EN)

Information on: Dinotefuran

Toxicity to aquatic plants:

green algae/EC50 (72 h): > 100 mg/l

swollen duckweed/EC50: >110 ppm

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

RCRA:

The waste codes are manufacturer's recommendations based on the designated use of the product. Other use and special waste disposal treatment on customer's location may require different waste-code assignments. This product is not regulated by RCRA.

14. Transport Information

Reference Bill of Lading

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US blocked / not listed

Crop Protection TSCA, US released / exempt

OSHA hazard category: No data available.;

EPCRA 311/312 (Hazard categories): Not hazardous;

State regulations

CA Prop. 65:

THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

16. Other Information

Refer to product label for EPA registration number.

Safety Data Sheet

Alpine® WSG

Revision date : 2012/08/02
Version: 1.1

Page: 8/8
(552911/SDS_CPA_US/EN)

Recommended use: insecticide

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

MSDS Prepared by:

BASF NA Product Regulations

msds@basf.com

MSDS Prepared on: 2012/08/02

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.
END OF DATA SHEET