


**RESTRICTED USE PESTICIDE
DUE TO HAZARD TO NON-TARGET ORGANISMS**

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certificate.

Kaput-D®

GROUND SQUIRREL BAIT

KILLS CALIFORNIA GROUND SQUIRRELS AND THEIR FLEAS



NET WT. 50 LBS. (22.7 kg)

EPA Reg. No. 72500-11
EPA Est. 72500-CO-1

ACTIVE INGREDIENTS:		
Diphacinone(CAS No. 82-66-6).....	0.0025%	
Imidacloprid (CAS Number 138261-41-3).....	0.0250%	
OTHER INGREDIENTS	99.9725%	
TOTAL	100.0000%	

Keep Out of Reach of Children **CAUTION**

Harmful if swallowed

See below for First Aid and additional Precautionary Statements.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This label must be in the user's possession at the time of application of this product.

READ THIS LABEL Read this entire label and follow all use directions and use precautions. Use only for the sites, pests and application methods described on this label.

IMPORTANT: Do not expose children, pets or other domestic animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children, pets and other animals.
2. Post treated areas with warning signs indicating that a combination rodenticide/insecticide has been applied and that the product is hazardous to dogs and other pets. Keep pets and livestock out of treated areas. Isolate treated areas using existing fencing, if present.
3. Dispose of product container, unused, spoiled or unconsumed bait as directed by this label.

Use Restrictions: This product may be used to control California ground squirrels (*Spermophilus beecheyi*) in parks, golf courses, fruit tree orchards (dormant season only), non-crop rights-of-way and other non-crop areas. The insecticide in this product may act systemically to aid in the reduction of fleas that infest California ground squirrels. The types of fleas that might be controlled include, but are not necessarily limited to, *Oropsylla montana* and *Hoplopsyllus anomalus*. Apply this product only at times of year when California ground squirrels are readily accepting grains. Do not use this product where nontarget species are likely to be adversely affected by it or where threatened or endangered species potentially at risk from it are present. Do not apply bait over roads, walkways or water.

Do not allow young children, pets, domesticated animals or persons not associated with the bait application to be in areas where the bait is being applied.

Wear gloves when applying bait. With detergent and hot water, wash all utensils used for applying bait. Do not use these utensils for mixing, holding or transferring foods or feeds.

Baiting: Manually scatter ½ cup of bait (approximately 2½ ounces or 70 grams) on ground or in modified bait stations (inverted "T" with "elbows" or platform station) near each burrow opening being used by California ground squirrels. (See more information in *Endangered Species Considerations*). Bait spoons, measuring cups or other suitable implements may be used to measure and distribute bait. The area around each burrow over which bait is distributed may be no larger than 50 square feet (e.g. a circular area no more than 8 feet in diameter). Re-apply bait to the same area at intervals of 2 to 3 days for a total of 3 to 4 applications, if ground squirrels remain active and continue to consume bait. A continuous supply of bait is needed for 6 to 12 days to ensure that all squirrels present have opportunity to feed on bait for at least 5 consecutive days. Do not exceed the maximum application rate of ½ cup per burrow per application.

Surveillance and Follow-Up: Dead ground squirrels should begin to appear in or near treated areas within 4 to 5 days after the first bait application. Visit the application site to monitor the effects of treatment 4 days after the first application and at subsequent intervals of 1 to 2 days. Wearing gloves, collect and properly dispose of visible carcasses of ground squirrels and other species found in or near treated areas. Dead animals buried on site must be buried a minimum of 18 inches below the ground surface, preferably deeper. Continue to collect and dispose of dead ground squirrels and search for non-target animals for at least 2 weeks after the last bait application, or longer if carcasses are still being found at that time. Carcass collection and burial should be performed in the late afternoon, near sundown, to reduce the potential for nocturnal scavengers or predators to find carcasses on the ground surface. Wear gloves and use leak-proof plastic bags or other suitable containers for transporting

carcasses not buried on site. Where there is a continuous source of reinfestation, establish permanent bait stations and replenish bait as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Store in original container in a cool, dry place inaccessible to children and pets. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Handling:** Non-Refillable Container; do not reuse or refill this container. Completely empty bag, then offer for recycling, if available; otherwise, dispose of empty bag in a sanitary landfill or by incineration.

Lot Number: See Upper Right

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes. Keep away from children, domestic animals and pets.

Personal Protective Equipment (PPE)

All handlers (including applicators) must wear shoes, socks and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying the bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

FIRST AID HAVE LABEL WHEN OBTAINING TREATMENT ADVICE

If Swallowed:

- Call a poison control center, or doctor, or 1-800-222-1222 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

If in Eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center, or doctor, or 1-800-222-1222 immediately for treatment advice.

NOTE TO PHYSICIAN OR VETERINARIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K1, intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian at once.

ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates and toxic to mammals and birds. Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

ENDANGERED SPECIES CONSIDERATIONS

Notice: It is a Federal offense to use any pesticide in a manner that results in the death of a member of an endangered species. Suggested measures to protect endangered species in your county may exist in an EPA "Interim Measures" pamphlet. You may call the Endangered Species Hotline, 1-800-447-3813, to find out if an "Interim Measures" pamphlet exists for your county and have one sent to you. You may also contact your local county extension office or pesticide state lead agency to determine whether they have imposed any requirements in your area to protect endangered and threatened species.

In California, obtain a copy of the Interim Measures for your county from the County Commissioner's office or from the following internet site: <http://www.cdpr.ca.gov/docs/es/index/htm>.

Where necessary to protect endangered kangaroo rats, use one of the modified bait stations (inverted "T" with "elbows" or platform station) developed for this purpose in association with the California Department of Food and Agriculture and the California Department of Fish and Game. A publication on those stations is available at the website indicated above.

WARRANTY

To the extent consistent with applicable law, Manufacturer and Seller make no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use/handling is contrary to label instructions.

U.S. Patent No. 7,943,160 B2

Scimetrics

LTD. CORP.

Pest Management Solutions

P.O. Box 1045

Wellington, CO 80549-1045

(970) 482-1330

customerservice@kaputproducts.com

Made in USA

Label Version 03/01/13





SAFETY DATA SHEET (SDS)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION			
Product Name: Kaput@-D Ground Squirrel Bait EPA Reg. No. 72500-11 Use: Anticoagulant Rodenticide with added Insecticide for control of California Ground Squirrels and their fleas - Ready to Use Restricted Use Pesticide	Manufacturer: Scimetrics Ltd. Corp. PO Box 1045 Wellington, CO 80549 Ph. 970-482-1330	Emergency Phone No: Medical: 800-858-7378 Transportation: 800-424-9300 (CHEMTREC)	
SECTION 2: HAZARDS IDENTIFICATION			
Classification according to Regulation OSHA 1910.1200(d): Not applicable See "Section 15: Regulatory Information" for FIFRA applicable Safety, Health and Environmental Classification			
SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS			
Component	CAS No.	% by Weight	
Diphacinone [2-(diphenylacetyl)-1 <i>H</i> -indene-1,3(2 <i>H</i>)-dione]	82-66-6	0.0025%	
Imidacloprid [(2 <i>E</i>)-1-[(6-chloro-3-pyridinyl)methyl]- <i>N</i> -nitro-2-imidazolidinimin]	138261-41-3	0.0250%	
Other inert ingredients are proprietary and non-hazardous		99.9725%	
SECTION 4: FIRST AID MEASURES			
Symptoms: Ingestion of excessive quantities may cause nausea, vomiting, loss of appetite, extreme thirst, lethargy, diarrhea, bleeding. Have product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact the National Poison Information Center at 1-800-858-7378 for emergency medical treatment information. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. If on skin or clothing: Take off contaminated clothing. Wash skin with soap and water. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. If irritation persists, call a poison control center or doctor immediately for treatment advice. Inhalation: Not applicable			
Note to Physician or Veterinarian: Contains the anticoagulant Diphacinone. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. For humans or animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K ₁ , intramuscularly or orally.			
SECTION 5: FIRE-FIGHTING MEASURES			
Flash Point: Not applicable. Flammable Limit: Not applicable. Extinguishing Media: For small fires, use water spray, carbon dioxide, dry chemical powder, or foam. Special Fire Fighting Procedures: Firefighters should be equipped with protective clothing and self-contained breathing apparatus. Unusual Fire and Explosion Hazards: None Known.			
SECTION 6: ACCIDENTAL RELEASE MEASURES			
General Information: Wear gloves when handling the bait. Spills/Leaks: Immediately wipe up spill, place in a properly labeled container, and hold for waste disposal or re-use. Wash spill area after material pickup is complete. Reference to other sections: Refer to Section 7, 8 and 13 for further details of personal precautions, protective equipment and disposal considerations.			
SECTION 7: HANDLING AND STORAGE			
Storage Temperature: Room temperature Average Shelf Life: Bait is stable for a minimum of 1 year when stored correctly at room temperature Special Sensitivity: Avoid exposure to excessive heat or cold. Precautions in Handling and Storage: Store in original container in a cool, dry area inaccessible to children, pets, and wildlife. Avoid contamination of lakes, streams and ponds. Wash hands thoroughly with soap and water after handling.			
SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION			
Established Limits:			
Component	OSHA	ACGIH	Other Limits
Diphacinone, Imidacloprid	Not established	Not established	Not established
Other Protective Measures:			
Appropriate Engineering Controls: Not required Respiratory Protection: Not required Eye Protection: Not required Skin Protection: Wear long-sleeved shirt, long pants, shoes, socks, and water-proof gloves. Wash hands thoroughly with soap and water after handling the bait			
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES			
Appearance/Color:	Loose grain, red color	Vapor Pressure:	Not applicable
Odor:	Grain-like	Vapor Density:	Not applicable
Odor Threshold:	Not determined	Relative Density:	37.24 lbs/cubic feet
pH:	6.45	Solubility:	Not applicable
Melting Point:	Not applicable	Partition coefficient: n-octanol/water:	Not applicable
Boiling Point:	Not applicable	Auto-Ignition Temperature:	Not applicable
Flash Point:	Not applicable	Decomposition Temperature:	Not determined
Evaporation Point:	Not applicable	Viscosity:	Not available
Upper/lower flammability limits:	Not applicable		



SAFETY DATA SHEET (SDS)

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Not reactive
Chemical Stability: Stable under normal use and storage conditions
Possibility of hazardous reactions: Will not occur
Conditions to Avoid: Avoid extreme temperatures
Incompatible Materials: Avoid strongly alkaline materials
Hazardous Decomposition Products: None known

SECTION 11. TOXICOLOGICAL INFORMATION

Likely routes of exposure: Ingestion, Dermal
Symptoms of Exposure: Reduced blood clotting ability. Please refer to Section 4.
LD50 Oral Ingestion: >5000 mg/kg (rats)
LD50 Dermal (Skin Contact): >2000 mg/kg (rats)
LC50 Inhalation: N/A
Dermal Sensitization: Not Considered a Sensitizer
Skin Irritation: Non-Irritating
Eye Irritation: Minimally Irritating
Carcinogenicity: Contains no components known to have a carcinogenetic effect

Component	NTP	IARC	OSHA
Diphacinone, Imidacloprid	Not listed	Not listed	Not listed

SECTION 12: ECOLOGICAL INFORMATION

This product is toxic to aquatic invertebrates and toxic to mammals and birds. Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.
Persistence and Degradability: Diphacinone and Imidacloprid are biodegradable
Bioaccumulative Potential: Not determined
Mobility in Soil: Not determined
Other adverse effects: None

SECTION 13. DISPOSAL CONSIDERATIONS

Do not contaminate water, food or feed by storage or disposal.
Pesticide Storage: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals. Sweep up spillage carefully and dispose of as indicated below.
Pesticide Disposal: Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.
Container Handling: Non-refillable container. Do not reuse or refill this container. Offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill or by incineration.

SECTION 14. TRANSPORTATION INFORMATION

UN Number: Not regulated
UN Proper Shipping Name: Not regulated
Transport Hazard Class: Not hazardous
Packing Group Number: Not regulated
Environmental Hazards for DOT Road/Rail, DOT Maritime, DOT Air: Not considered hazardous for transportation via road/rail, vessel or air
Freight Classification: LTL Class 55 or 70 (depending on packaging type)

SECTION 15. REGULATORY INFORMATION

This product is subject to EPA FIFRA regulations. This pesticide product is regulated by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for Safety Data Sheets (SDS), and for workplace labels of non-pesticide chemicals. The safety, health, environmental and hazard information required on the pesticide is listed below:
Signal Word: CAUTION
Precautionary Statements:
 CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes. Keep away from children, domestic animals and pets.
EPA Reg. No. 72500-11
TSCA Status: Exempt from TSCA, subject to FIFRA

SECTION 16. OTHER INFORMATION

NFPA Hazard Rating		HMIS Hazard Rating		0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Extreme
Health	2	Health	2	
Flammability	0	Flammability	0	
Instability	0	Reactivity	0	

Disclaimer: Information provided in this Safety Data Sheet has been obtained from sources believed to be correct to the best of our knowledge but is not all inclusive and shall only be used as a guide. Scimetrics Ltd. Corp. shall not be held liable for any damage resulting from handling or from contact with the above product and provides no warranties either express or implied and assumes no responsibility for the accuracy or completeness of the data contained on this form.

Date created: May 30, 2015