

SINGLES IN A RESEALABLE BAG

Starts killing roaches in hours
 Child resistant bait stations
 Ideal for kitchen use
 No vapor, no fumes, no mess
 Kills roaches by contact or ingestion
 Virtually eliminates roaches



Contents:
72 Child-Resistant Bait Stations
 Net Weight:
0.05 Oz (1.5 g) per unit
 Total Net Weight:
3.8 Oz (108.0g)
80221541 80213034A 090507A



Maxforce[®]

FC ROACH KILLER

Bait Stations

FOR USE IN COMMERCIAL, INDUSTRIAL AND RESIDENTIAL AREAS

ACTIVE INGREDIENT:

Fipronil*: [5-Amino-1-(2, 6-dichloro-4-trifluoromethyl) phenyl)-4-(1, R, S)-(trifluoromethyl) sulfinyl)-1H-pyrazole-3-carbonitrile] 0.05%

OTHER INGREDIENTS:..... 99.95%

Total:..... 100.00%

*CAS NO. 120068-37-3

EPA Reg. No. 432-1257

EPA Est. No. 071106-GA-003

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID	
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-334-7577 for emergency medical treatment information.	



Maxforce[®]

FC ROACH KILLER

Bait Stations

TEAR HERE TO OPEN



Maxforce[®]
FC ROACH KILLER

Bait Stations

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Wash thoroughly with soap and water after handling bait stations.

This product is specially designed for control of small cockroaches, such as German and Brown Banded roaches, in any area where they are a problem, such as residential, warehousing and commercial establishments, including food service, food manufacturing and food processing facilities, hospitals, schools, daycare centers, nursing homes, health care facilities, laboratories, computer and electronic equipment facilities, pet shops, zoos, basements, buses, boats, trains, and aircraft.

The transparent red top enables you to monitor bait consumption while providing roaches their preferred environment, darkness, because roaches do not see light in the red spectrum. This product is an odorless bait that roaches eat even in the presence of other foods and is packaged in a child-resistant bait station.

This product may also be used to kill exposed, adult stages of beetles: cadelle, cigarette beetle, confused flour beetle, dermestid, drugstore beetle, flat grain beetle, granary weevil, lesser grain borer, lesser mealworm, mealworm, merchant grain beetle, red flour beetle, rice weevil, rusty grain beetle, saw-toothed grain beetle, spider beetle, or warehouse beetle.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry area out of reach of children.

DISPOSAL: Wrap bait stations in several layers of newspaper and discard in trash.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. Place bait stations in areas where cockroaches have been seen and where they hide. Cockroaches infest dark, warm, damp locations.
2. The bait stations can be stuck to a vertical surface by peeling off the protective strip to expose adhesive.
3. For effective roach control use 4-6 bait stations per 100 sq ft of horizontal surface area. Place adjacent to walls and flush in corners. Do not place more than 24 bait stations per residence. For outdoor use, place stations adjacent to structure.
4. Do not spray the bait stations. Avoid placing the bait stations on freshly sprayed surfaces.
5. Roaches will begin eating the bait immediately and you should expect to see fewer roaches within 3 days.
6. Inspect all bait stations and replace as needed for continual control of roaches.

For Pantry Pests:

1. Remove and dispose of infested foodstuffs. Clean up spilled foodstuffs from cupboard or food storage area.
2. This product will kill adult stages of beetles remaining in food storage areas. Once feeding on bait begins, most adult beetles will be killed within 7 days.

3. Use 4-6 bait stations per 100 sq ft of horizontal surface area. Place adjacent to voids or cracks and crevice, behind and under cupboards, and near locations where infested foodstuffs were discovered.
4. Bait stations can be stuck to a vertical surface by peeling off the protective strip to expose adhesive.
5. Do not place more than 24 bait stations per residence.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience LP. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience LP is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE LP'S ELECTION, THE REPLACEMENT OF PRODUCT.

Bayer (reg'd), the Bayer Cross (reg'd) and Maxforce[®] are registered trademarks of Bayer.



Produced for:

Bayer Environmental Science

A Division of Bayer CropScience LP

2 T. W. Alexander Drive

Research Triangle Park, NC 27709

Product of China



Material Safety Data Sheet

**MAXFORCE® FC PROFESSIONAL INSECT CONTROL®
ROACH BAIT STATIONS**

MSDS Number: 102000013976

MSDS Version 2.0

Revision Date: 12/12/2007

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name MAXFORCE® FC PROFESSIONAL INSECT CONTROL® ROACH BAIT STATIONS
MSDS Number 102000013976
EPA Registration No. 432-1257

Bayer Environmental Science
 2 T.W. Alexander Drive
 Research Triangle PK, NC 27709
 USA

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-334-7577 (24 hours/day)
 For Product Information call: 1-800-331-2867

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous Component Name</u>	<u>CAS-No.</u>	<u>Average % by Weight</u>
Fipronil	120068-37-3	0.05
1,2-Propanediol	57-55-6	4.02

SECTION 3. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview Caution! May be harmful if swallowed. Avoid contact with skin, eyes and clothing. Hazard to humans and domestic animals. Keep out of reach of children and animals.

Physical State gel

Appearance amber

Routes of Exposure Ingestion, Skin contact, Eye contact

Immediate Effects

Skin May be minimally irritating following prolonged direct contact. Avoid contact with skin and clothing.

Ingestion May be harmful if swallowed. Do not take internally.

Chronic or Delayed Long-Term

This product or its components may have target organ effects. This product or its components may have long term (chronic) health effects.



Material Safety Data Sheet

MSDS Number: 102000013976
MSDS Version 2.0

**MAXFORCE® FC PROFESSIONAL INSECT CONTROL®
ROACH BAIT STATIONS**

Medical Conditions Aggravated by Exposure No specific medical conditions are known which may be aggravated by exposure to this product.

SECTION 4. FIRST AID MEASURES

General When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.

Eye Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.

Skin Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.

Notes to Physician Treatment There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5. FIRE FIGHTING MEASURES

Flash point > 93.4 °C / > 200.1 °F

Fire and Explosion Hazards Dangerous gases are evolved in the event of a fire.

Suitable Extinguishing Media Water, Foam, Carbon dioxide (CO2), Dry chemical

Fire Fighting Instructions Fight fire from upwind position. Keep out of smoke. Do not allow run-off from fire fighting to enter drains or water courses.

Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.



Material Safety Data Sheet

**MAXFORCE® FC PROFESSIONAL INSECT CONTROL®
ROACH BAIT STATIONS**

MSDS Number: 102000013976
MSDS Version 2.0

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

- Methods for Cleaning Up** Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

- Additional Advice** Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

SECTION 7. HANDLING AND STORAGE

- Handling Procedures** Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

- Storing Procedures** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of reach of children and animals.

- Work/Hygienic Procedures** Keep away from food, drink and animal feedingstuffs.

Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- General Protection** There are no known hazards associated with this product when used according to the label directions. The following guidelines should be followed.

Avoid contact with skin and eyes.

Follow all label instructions. Train employees in safe use of the product.

Exposure Limits

Fipronil	120068-37-3	OES BCS*		0.035 mg/m3
1,2-Propanediol	57-55-6	WEEL	TWA	10 mg/m3
		Form of exposure	Aerosol.	

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"



Material Safety Data Sheet

**MAXFORCE® FC PROFESSIONAL INSECT CONTROL®
ROACH BAIT STATIONS**

MSDS Number: 102000013976
MSDS Version 2.0

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance amber
Physical State gel

SECTION 10. STABILITY AND REACTIVITY

Conditions to Avoid Extremes of temperature and direct sunlight.
Exposure to moisture.

Incompatibility Strong bases
Strong acids
Strong oxidizing agents

**Hazardous
Decomposition Products** Thermal decomposition
Nitrogen oxides (NOx)
Sulphur oxides
Hydrogen fluoride (HF)
Carbon oxides
Hydrogen chloride (HCl)

Hazardous Reactions Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity data have been bridged from a similar formulation containing a slightly higher percentage of the active ingredient, fipronil. The non-acute information pertains to technical-grade active ingredient.

Acute Oral Toxicity rat: LD50: > 5,000 mg/kg

Acute Dermal Toxicity rat: LD50: > 2,000 mg/kg

Acute Inhalation Toxicity rat: LC50: > 2.9 mg/l
Exposure time: 4 h

 rat: LC50: > 11.6 mg/l
Exposure time: 1 h
Extrapolated from the 4 hr LC50.

Skin Irritation rabbit: Slight irritation.

Eye Irritation rabbit: No eye irritation.

Sensitization guinea pig: Non-sensitizing.



Material Safety Data Sheet

MSDS Number: 102000013976
MSDS Version 2.0

**MAXFORCE® FC PROFESSIONAL INSECT CONTROL®
ROACH BAIT STATIONS**

Chronic Toxicity Fipronil caused liver, kidney or thyroid effects and/or neurobehavioral effects (e.g., tremors) in chronic toxicity studies in rats and dogs. Fipronil did not induce any microscopic lesions in the neural tissues.

Assessment Carcinogenicity
Fipronil has been classified by EPA as a Category C carcinogen based on thyroid tumors in rats only. These tumors are produced by a mechanism which is not relevant to human cancer. Fipronil did not produce an increase in tumor incidence in mice.

- ACGIH**
None.
- NTP**
None.
- IARC**
None.
- OSHA**
None.

Reproductive & Developmental Toxicity REPRODUCTION: Fipronil was not considered a primary reproductive toxicant in rats.

DEVELOPMENTAL TOXICITY: Fipronil was not a developmental toxicant in rats and rabbits.

Neurotoxicity Fipronil caused transient neurobehavioral effects (e.g., tremors) in neurotoxicity studies in rats. Delays in developmental landmarks were observed in rats at maternally toxic doses.

Mutagenicity Fipronil was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

SECTION 12. ECOLOGICAL INFORMATION

Environmental Precautions Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.



Material Safety Data Sheet

**MAXFORCE® FC PROFESSIONAL INSECT CONTROL®
ROACH BAIT STATIONS**

MSDS Number: 102000013976
MSDS Version 2.0

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance Follow container label instructions for disposal of wastes generated during use in compliance with the product label. Never place unused product down any indoor or outdoor drain.

Container Disposal Wrap and discard in trash.

SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION:
Not regulated for Transportation

FREIGHT CLASSIFICATION:
Insecticides or fungicides, N.O.I.: other than poison

SECTION 15. REGULATORY INFORMATION

EPA Registration No. 432-1257

US Federal Regulations

TSCA list

1,2-Propanediol 57-55-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

1,2-Propanediol 57-55-6 MN, RI

Canadian Regulations

Canadian Domestic Substance List

1,2-Propanediol 57-55-6

**Environmental
CERCLA**



Material Safety Data Sheet

MSDS Number: 102000013976
MSDS Version 2.0

**MAXFORCE® FC PROFESSIONAL INSECT CONTROL®
ROACH BAIT STATIONS**

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

1,2-Propanediol

57-55-6

SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Reactivity - 0 Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason to Revise: Updated due to new system and numbering scheme. Updated Section 11: Toxicological Information. Updated for general editorial purposes.

Revision Date: 12/12/2007

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.