



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

February 18, 2016

Susan Watson
Regulatory Manager
Amrep, Inc.
990 Industrial Park Drive
Marietta, GA 30062

Subject: Label and CSF Notification per PRN 98-10 – Addition of alternate producer
Product Name: Purge Air Sanitizer
EPA Registration Number: 10807-438
Application Date: January 21, 2016
Decision Number: 513278

Dear Ms. Watson:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

The CSFs submitted with your application have been stamped “Notification” and placed in our files.

Please note that the record for this product currently contains the following CSFs:


- Basic CSF dated 01/21/2016
- Alternate CSF #1 (Buttercream) dated 03/04/2008
- Alternate CSF #2 (Clean Cotton) dated 03/04/2008

- Alternate CSF #3 (Lime VOC 1) dated 04/15/2008
- Alternate CSF #6 dated 07/16/10

Any CSFs other than those listed above are superseded/no longer valid.

If you have any questions, please contact Seiichi Murasaki at (703) 347-0163 or via email at murasaki.seiichi@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "SEIICHI Murasaki" with a small "for" written below the name.

Julie Chao
Product Manager 33
Regulatory Management Branch I
Antimicrobials Division (7510P)
Office of Pesticide Programs

Purge™ Air Sanitizer
[Country Vet® Metered Air Sanitizer Jasmine;
Country Vet® Air Sanitizer;
TimeMist Air Sanitizer]

NOTIFICATION

10807-438

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

02/18/2016

- For reduction of air-borne bacteria which can cause undesirable odors.
- Reduces Airborne Bacteria & the Odors They Cause.
- Reduces (Airborne Bacteria) (&) (their) (odors)
- (Eliminates) (Destroys) (Controls) odors (caused by bacteria) (by killing odor-causing bacteria in the air) (caused by) (smoke,) (mildew,) (cooking) (& more) (&) (freshens the air).
- (Eliminates) (Destroys) (odors) (stinks) (smells) (rotten odors) (smelly odors) (heavy odors) (caused by bacteria)
- (Eliminates) (Destroys) (odors) (stinks) (smells) (rotten odors) (smelly odors) (heavy odors) (unlike air fresheners) (that) (which) (only mask odors) (temporarily).
- Temporarily reduces (odor-causing) (airborne) bacteria in the air.
- (Eliminates) (Destroys) (tough) (odors) (such as) (bathroom,) (pet odors,) (cooking) (and) (mildew odors)
- (Eliminates) (Destroys) (tough) (odors) (such as) (from) (mildew,) (sinks and drains,) (kitchens,) (bathroom,) (basements,) (kennels,) (litter boxes,) (and) (pet odors) (odors)
- (Ideal) (for) (pet) (and) (litter box) (smoking areas,) (bathroom(s)) (garage(s)) (basements(s)) (home(s)) (or) (offices(s)) (areas) (to) (eliminate) (control) (pet) (and) (litter box) (smoking areas,) (bathroom(s)) (garage(s)) (basements(s)) (home(s)) (or) (offices(s)) (odor(s)).
- Use for pet odors to freshen the air
- Does not mask odors.
- Unlike air fresheners that only mask odors temporarily, [product name] kills odor-causing bacteria in the air and eliminates their tough (odor(s)) (smell(s)) (stink(s)) such as pet odor, smoke, bathroom, dirty diapers, and mildew.
- New (& Improved) Jasmine Fragrance
- (Destroys) (Eliminates) (tough odors) (problem) (odors) (such as) (For) (pet) (litter box) (kennels) (bathroom) (garage) (basement) (home) (office) (mildew) (and) (locker room) (odors).
- (Kills) (Eliminates) (Destroys) (Reduces) (controls) (kitchen) (bathroom) (pet odors) (odors) (caused by) (airborne) (bacteria).
- (Keeps) (on) (killing) (eliminating) (reducing) (controlling) odor-causing bacteria in the air.
- Eliminates (tough) (problem) (odors) (around) (litter boxes,) (dirty laundry,) (diaper pails,) (garbage cans,) (mud rooms,) (pet sleeping areas) (odors)
- Leaves the (air) (room) smelling (clean) (and) (fresh) (and) (pleasant).
- (Sanitizes) (Freshens) the air (with the clean scent of Jasmine).
- Helps reduce the number of airborne bacteria in the air.
- Use [product name] to freshen the air and leave the (air) (room) smelling (clean) (and) (fresh) (and) (pleasant).
- [Lime]
- 30 day

[For Reviewer: "Bulleted" items and items in [] above are optional and may/may not be included in part or in whole on final label.]

ACTIVE INGREDIENTS:

| | |
|---|---------|
| n-Alkyl (50% C14, 40% C12, 10% C16) | |
| dimethyl benzyl ammonium chlorides: | 0.20% |
| Triethylene Glycol: | 6.00% |
| Dipropylene Glycol: | 4.00% |
| OTHER INGREDIENTS: | 89.80% |
| TOTAL: | 100.00% |

KEEP OUT OF REACH OF CHILDREN
WARNING

See Back Panel for Additional Precautionary Statements.

Metered 215x311 can size

NET WT. 6.8 OZ. (193 GRAMS)

{Back Panel}

**PRECAUTIONARY STATEMENTS:
HAZARDS TO HUMANS AND DOMESTIC ANIMALS:**

WARNING: KEEP OUT OF REACH OF CHILDREN. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food. Do not use in nurseries or rooms where infants, ill or aged person are confined.

[For Reviewer: Boxed & "Bulleated" format will be used if label space permits; otherwise a paragraph format will be used.]

FIRST AID: IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. [Product Name] is an effective formulation specially designed for use in the timed, intermittent aerosol dispensing unit for the reduction of air-borne bacteria which can cause undesirable odors. Recommended for use in lobbies, reception rooms, locker rooms, rest rooms of hospitals, theaters or shops.

[For Metered Application] Remove cap from can and place in [sequential] [metered] aerosol dispenser with spray head beneath actuator, nozzle facing front.

Factors such as air currents, temperature, humidity and conformation of treated area govern number of units required for effective control. One unit should normally treat 6,000 cubic feet of closed air space. Dispenser location should be at a height of [7] [7-8] [8] feet and directed compatibly to air currents in closed areas. One can, used on a 24-hour basis, will provide adequate air sanitizing.

[For Handheld Application] Spray for one second toward center of room, away from drapes, walls, plastic, vinyl, painted or varnished surfaces, etc. to reduce airborne bacteria in an average size room (10' x 14' x 8'). Repeat application several times daily.

[For Reviewer: Storage & Disposal statements may be boxed.]

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in a cool area away from heat or open flame. **DISPOSAL:** Do Not Puncture or Incinerate! **IF EMPTY:** Place in trash or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

FITS MOST AEROSOL DISPENSERS.

[Contains no CFCs or Other Ozone Depleting Substances.
Federal regulations prohibit CFC propellants in aerosols.]

[For Reviewer: Optional-CFCs logo,

Steel graphics symbol]



EPA Reg. No. 10807-438

EPA Est. No. 58996-MO-1 (A)

EPA Est. No. 10807-GA-1 (M)

EPA Est. No. 11623-GA-1 (O)

EPA Est. No. 11623-GA-2 (L)

EPA Est. No. 11623-GA-3 (P)

Distributed by

Amrep, Inc.

990 Industrial Park Drive

Marietta, GA 30062

770.422.2071 • 800.241.7766

TimeMist(R) Air Sanitizer

Version 2.2

Revision Date 09/17/2016

Print Date 03/07/2019

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : TimeMist(R) Air Sanitizer

EPA ID Number: 10807-438

Material number : 000000000001046026

Manufacturer or supplier's details

Company : Amrep, Inc.

Address : 990 Industrial Park Drive
Marietta, GA 30062

Telephone : 404-352-1680

Emergency telephone numbers**For SDS Information** : Compliance Services 1-877-428-9937**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded**For a Transportation
Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.
In the District of Columbia 202-483-7616**Recommended use of the chemical and restrictions on use**

Recommended use : Air Care

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

| | |
|------------|------------------------------------|
| Appearance | Aerosol containing a liquefied gas |
| Colour | colourless |
| Odour | pleasant |

GHS Classification

Flammable aerosols : Category 2
 Gases under pressure : Liquefied gas
 Eye irritation : Category 2A
 Specific target organ toxicity - single exposure : Category 3 (Central nervous system)

GHS label elements

Hazard pictograms : 

Signal word : Warning

Hazard statements : H223 Flammable aerosol.
 H280 Contains gas under pressure; may explode if heated.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

TimeMist(R) Air Sanitizer

Version 2.2

Revision Date 09/17/2016

Print Date 03/07/2019

Precautionary statements : **Prevention:**
 P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
 P211 Do not spray on an open flame or other ignition source.
 P251 Pressurized container: Do not pierce or burn, even after use.
 P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
 P264 Wash skin thoroughly after handling.
 P271 Use only outdoors or in a well-ventilated area.
 P280 Wear eye protection/ face protection.
Response:
 P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337 + P313 If eye irritation persists: Get medical advice/ attention.
Storage:
 P405 Store locked up.
 P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
 P403 Store in a well-ventilated place.
Disposal:
 Dispose of contents/container in accordance with local regulation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS
Hazardous components

| Chemical name | CAS-No. | Concentration [%] |
|-----------------------|----------|-------------------|
| propan-2-ol | 67-63-0 | >= 30 - < 50 |
| 1,1-difluoroethane | 75-37-6 | >= 30 - < 50 |
| butane | 106-97-8 | >= 10 - < 20 |
| 1,1'-oxydipropan-2-ol | 110-98-5 | >= 1 - < 5 |

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
 Show this safety data sheet to the doctor in attendance.
 Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.
 If unconscious place in recovery position and seek medical advice.

In case of skin contact : If skin irritation persists, call a physician.
 Wash off immediately with plenty of water for at least 15 minutes.
 If on clothes, remove clothes.

TimeMist(R) Air Sanitizer

Version 2.2

Revision Date 09/17/2016

Print Date 03/07/2019

- In case of eye contact : Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
If in eyes, rinse with water for 15 minutes.
- If swallowed : Keep respiratory tract clear.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
DO NOT induce vomiting unless directed to do so by a physician or poison control center.
-

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray jet
Carbon dioxide (CO₂)
Alcohol-resistant foam
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon dioxide (CO₂)
Carbon monoxide
Smoke
Carbon dioxide (CO₂)
Carbon monoxide
Smoke
Fluorine compounds
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Further information : For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
-

TimeMist(R) Air Sanitizer

Version 2.2

Revision Date 09/17/2016

Print Date 03/07/2019

If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Do not breathe vapours or spray mist.
Take precautionary measures against static discharges.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
Always replace cap after use.

Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.
No smoking.
Observe label precautions.
Keep in a dry, cool and well-ventilated place.
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Store and keep away from bases and alkalies.
Do not store near acids.
Oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|-------------|---------|----------------------------------|---|-----------|
| propan-2-ol | 67-63-0 | TWA | 200 ppm | ACGIH |
| | | STEL | 400 ppm | ACGIH |
| | | TWA | 400 ppm 980 mg/m ³ | NIOSH REL |
| | | ST | 500 ppm 1,225 mg/m ³ | NIOSH REL |
| | | TWA | 400 ppm 980 mg/m ³ | OSHA Z-1 |
| | | TWA | 400 ppm 980 mg/m ³ | OSHA P0 |
| | | STEL | 500 ppm | OSHA P0 |

TimeMist(R) Air Sanitizer

Version 2.2

Revision Date 09/17/2016

Print Date 03/07/2019

| | | | | |
|--------------------|----------|------|------------------------|-----------|
| | | | 1,225 mg/m3 | |
| | | PEL | 400 ppm 980 mg/m3 | CAL PEL |
| | | STEL | 500 ppm 1,225 mg/m3 | CAL PEL |
| 1,1-difluoroethane | 75-37-6 | TWA | 1,000 ppm | US WEEL |
| butane | 106-97-8 | TWA | 800 ppm 1,900 mg/m3 | NIOSH REL |
| | | TWA | 800 ppm 1,900 mg/m3 | OSHA P0 |
| | | PEL | 800 ppm 1,900 mg/m3 | CAL PEL |

Biological occupational exposure limits

| Component | CAS-No. | Control parameters | Biological specimen | Sampling time | Permissible concentration | Basis |
|-------------|---------|--------------------|---------------------|---------------------------------|---------------------------|-----------|
| PROPAN-2-OL | 67-63-0 | Acetone | Urine | End of shift at end of workweek | 40 mg/l | ACGIH BEI |

Engineering measures : Not applicable

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection
Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.
Ensure that eyewash stations and safety showers are close to the workstation location.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aerosol containing a liquefied gas

Colour : colourless

TimeMist(R) Air Sanitizer

Version 2.2

Revision Date 09/17/2016

Print Date 03/07/2019

| | |
|--|--------------------------|
| Odour | : pleasant |
| Odour Threshold | : No data available |
| pH | : No data available |
| Melting point/freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Evaporation rate | : not determined |
| Flammability (solid, gas) | : Flammable aerosol. |
| Upper explosion limit | : No data available |
| Lower explosion limit | : No data available |
| Vapour pressure | : No data available |
| Relative vapour density | : No data available |
| Density | : 1.04 g/cm ³ |
| Solubility(ies) | |
| Water solubility | : partly soluble |
| Solubility in other solvents | : not determined |
| Partition coefficient: n-octanol/water | : No data available |
| Auto-ignition temperature | : not determined |
| Thermal decomposition | : No data available |
| Viscosity | |
| Viscosity, kinematic | : No data available |

SECTION 10. STABILITY AND REACTIVITY

| | |
|------------------------------------|---|
| Reactivity | : Stable |
| Chemical stability | : Stable under normal conditions. |
| Possibility of hazardous reactions | : Vapours may form explosive mixture with air. No decomposition if stored and applied as directed. |
| Conditions to avoid | : Extremes of temperature and direct sunlight. Heat, flames and sparks. |
| Incompatible materials | : Acids Bases Oxidizing agents |
| Hazardous decomposition products | : Carbon oxides |

TimeMist(R) Air Sanitizer

Version 2.2

Revision Date 09/17/2016

Print Date 03/07/2019

SECTION 11. TOXICOLOGICAL INFORMATION**Potential Health Effects****Carcinogenicity:**

| | |
|--------------|---|
| IARC | No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. |
| ACGIH | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. |
| OSHA | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. |
| NTP | No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. |

Acute toxicity**Product:**

| | |
|-----------------------|---|
| Acute oral toxicity | : Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method |
| Acute dermal toxicity | : Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method |

Components:**propan-2-ol:**

| | |
|---------------------|--|
| Acute oral toxicity | : LD50 Oral Rat: 4,396 mg/kg Method: Calculation method |
|---------------------|--|

1,1-difluoroethane:

| | |
|---------------------------|--|
| Acute inhalation toxicity | : LC50 Mouse: 977,000 mg/l Exposure time: 2 h |
|---------------------------|--|

butane:

| | |
|---------------------------|--|
| Acute inhalation toxicity | : LC50 Mouse: 1,237 mg/l Exposure time: 2 h |
|---------------------------|--|

LC50 Rat: 1,355 mg/l

1,1'-oxydipropan-2-ol:

| | |
|---------------------|-------------------------------|
| Acute oral toxicity | : LD50 Oral Rat: 14,850 mg/kg |
|---------------------|-------------------------------|

| | |
|-----------------------|----------------------------------|
| Acute dermal toxicity | : LD50 Dermal Rabbit: > 20 mg/kg |
|-----------------------|----------------------------------|

Skin corrosion/irritation

TimeMist(R) Air Sanitizer

Version 2.2

Revision Date 09/17/2016

Print Date 03/07/2019

Product:

Remarks: May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Product:

Remarks: Severe eye irritation

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

propan-2-ol:

1,1-difluoroethane:

butane:

1,1'-oxydipropan-2-ol:

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

TimeMist(R) Air Sanitizer

Version 2.2

Revision Date 09/17/2016

Print Date 03/07/2019

Product:

Partition coefficient: n-octanol/water : Remarks: No data available

Components:**butane :**

Partition coefficient: n-octanol/water : Pow: 2.89

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations. Do not contaminate ponds, waterways or ditches with chemical or used container. The product should not be allowed to enter drains, water courses or the soil.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

| |
|---|
| Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY |
|---|

| |
|---|
| Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity |
|---|

| |
|--|
| Transportation Regulation: IATA (Cargo Air): |
|--|

SAFETY DATA SHEET



TimeMist(R) Air Sanitizer

Version 2.2

Revision Date 09/17/2016

Print Date 03/07/2019

UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air):
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada):
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

WARNING

Causes skin and eye irritation.

Harmful if swallowed.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|-------------|----------|--------------------|-----------------------------|
| cyclohexane | 110-82-7 | 1000 | * |

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Sudden Release of Pressure Hazard
Acute Health Hazard
Fire Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop 65 This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other

TimeMist(R) Air Sanitizer

Version 2.2

Revision Date 09/17/2016

Print Date 03/07/2019

reproductive harm.


The components of this product are reported in the following inventories:

TSCA On TSCA Inventory
DSL This product contains one or several components that are not on the Canadian DSL nor NDSL.

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION**Further information****NFPA:****HMIS III:**

| | |
|------------------------|----------|
| HEALTH | 2 |
| FLAMMABILITY | 4 |
| PHYSICAL HAZARD | 2 |

0 = not significant, 1 = Slight,
 2 = Moderate, 3 = High
 4 = Extreme, * = Chronic

OSHA - GHS Label Information:

Hazard pictograms



Signal word

: **Warning:**

Hazard statements

: Flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. May cause drowsiness or dizziness.

Precautionary statements

: **Prevention:** Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eye protection/ face protection.

Response: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Storage: Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place.

Disposal: Dispose of contents/container in accordance with local regulation.

SAFETY DATA SHEET



TimeMist(R) Air Sanitizer

Version 2.2

Revision Date 09/17/2016

Print Date 03/07/2019

| | |
|----------------|------------|
| Version: | 2.2 |
| Revision Date: | 09/17/2016 |
| Print Date: | 03/07/2019 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®, Rexodan®, Mykal™, and a number of private labeled brands.