




Kenya
Pyrethrum



Synergized



System
Equipment



Food
Handling

PRESCRIPTION TREATMENT[®] brand

P.I.[®]

CONTACT INSECTICIDE

Formula 1

CONTROLS:

Angoumois Grain Moths, Ants, Bedbugs, Booklice, Carpet Beetles, Centipedes, Chocolate Moths, Cigarette Beetles, Clothes Moths, Clover Mites, Cluster Flies, Cockroaches, Confused Flour Beetles, Crickets, Drug Store Beetles, Fleas, Flies, Fruit Flies, Gnats, Grain Mites, Granary Weevils, Horn Flies, House Flies, Indian Meal Moths, Mediterranean Flour Moths, Millipedes, Mosquitoes, Mud Daubers, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Silverfish, Small Flying Moths, Sowbugs, Spiders, Stable Flies, Ticks and Wasps.

FOR USE IN:

Apartments, Campgrounds, Food Storage Areas, Homes, Hospitals[†], Hotels, Motels, Nursing Homes[†], Resorts, Restaurants[†] and other Food Handling Establishments[†], Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks and Aircraft - cargo areas only), Utilities, Warehouses, and other Commercial and Industrial Buildings.

[†] See special instructions for these sites under Directions for Use.

ACTIVE INGREDIENTS:

Pyrethrins	0.5%
Piperonyl Butoxide, Technical	4.0%

OTHER INGREDIENTS:	95.5%
---------------------------------	-------

Contains petroleum distillate.

TOTAL: 100.0%

EPA Reg. No. 499-444

KEEP OUT OF REACH OF CHILDREN CAUTION

See below for additional Precautionary Statements,

PRECAUTIONARY STATEMENTS

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

IF INHALED: Remove victim to fresh air. If not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also call 1-800-225-3320 for emergency medical treatment information.

NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Wash hands before eating, drinking, chewing gum, or using the toilet.

NOTICE TO APPLICATOR: For prolonged exposure indoors, wear a Dust/Mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C), or a NIOSH approved respirator with any R, P or HE filter.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Use only with the supplied actuator and injection tubes or other Whitmire Micro-Gen equipment.

Do not spray on plastic, painted, or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

Aerosols work best when can temperature is above 60° F. If can temperature is below 60° F, store at room temperature until a temperature above 60° F is reached.

CRACK AND CREVICE[®] TREATMENT: Inject PRESCRIPTION TREATMENT brand P.I. into cracks and



WHITMIRE MICRO-GEN
RESEARCH LABORATORIES, INC.
800-777-8570

NOTE: This specimen label is for informational purposes only. All uses may not be approved in all states. See labeling which accompanied product for Directions for Use or call 800-777-8570 for more information.



P.I.® CONTACT INSECTICIDE

crevices or void spaces where insects may be harboring, living and breeding. Place injector tip into cracks, crevices, holes and other small openings. Apply product for one second. For light infestations, move injector tip along cracks while treating at the rate of three linear feet per second. For heavy infestations, move injector tip along at one linear foot per second.

For treatment of inaccessible voids (including wall and equipment voids), calculate the void's cubic area and treat at the rate of five to ten seconds per three cubic feet. Several holes may be required in long-running voids. Repeat as necessary.

SPACE TREATMENT: Calculate the cubic footage to be treated and apply at the dosage rate specified below for the pest(s) to be treated. Ventilate treated areas before re-occupying.

INDOOR TREATMENTS

CLUSTER FLIES, FLIES, FRUIT FLIES, GNATS, HORN FLIES, HOUSE FLIES, MOSQUITOES, SMALL FLYING MOTHS AND STABLE FLIES:

Apply as a Space Treatment at a rate of 1 to 3 seconds per 1,000 cu. ft. Close all windows and doors. Direct fog upward and disperse in all locations. Keep area closed for 15 min. Open and ventilate before re-occupying. Repeat treatment as necessary.

CLUSTER FLIES, CLOVER MITES, WASPS AND BEES INSIDE STRUCTURAL VOIDS: For treatment of these pests, locate all insect entrances and close all but one opening. Determine size of void. Inject 5 to 10 seconds per three cubic feet of void into remaining opening. For best results, treat at dusk or later.

ANTS, BOOKLICE, CENTIPEDES, CLOVER MITES, CRICKETS, MILLIPEDES, COCK-ROACHES, SILVERFISH, SOWBUGS, AND SPI-TERS:

Apply as a Crack and Crevice treatment into cracks and crevices in all hiding places (such as behind baseboards, sinks, cabinets, meter boxes, door frames and windows) or as a Space Treatment at a rate of 20 seconds per 1,000 cu. ft. For a Space Treatment, open cabinets and doors in area to be treated, turn off air conditioners and fans and close doors and windows before treating. Disperse toward area suspected of harboring the greatest insect infestations. Disperse in all locations contacting as many insects as possible. Keep area closed for 15 minutes. Open and ventilate the treated area before re-occupying. Repeat treatment as necessary.

For treatment of void areas such as attics, false ceilings and crawl spaces, calculate the volume of the void and treat at a rate of 20 seconds per 1,000 cu. ft. Repeat treatment as necessary.

BEDBUGS: Take bed apart and treat cracks, joints and interior of framework. Treat mattresses and box springs; especially tufts, folds, and edges. Also treat picture frames, moldings and cracks and crevices in the room. Do not use in patient rooms in hospitals and nursing homes for treatment of bedbugs.

CARPET BEETLES (In Residences): Hold product 36" above floor and direct spray toward floor and lower

walls treating at a rate of 10 seconds per 100 sq. ft. Also apply as a Crack and Crevice treatment to cracks and crevices near the source of the infestation.

CLOTHES MOTHS: Locate source of infestation. Apply as a Crack and Crevice treatment to nearby cracks and crevices and perform a Space Treatment of the infested area at a rate of 5 to 10 seconds per 1,000 cu. ft.

To protect woolens and other keratin containing materials, brush clean, then air out. Before treating entire article, treat a small hidden area of fabric to determine if staining will occur. Treat thoroughly by holding dispenser at least 18 inches from garment. Treated articles should be put into a darkened closet or other darkened storage such as cedar chests, storage drawers, or sealable plastic fabric bags. For best protection, clean and treat inside of closets or storage areas by treating one second per 10 sq. ft. before putting treated materials away. Treatment should be repeated every six months or as needed. Dry clean treated clothes before wearing.

CARPET BEETLES, CIGARETTE BEETLES, CONFUSED FLOUR BEETLES, DRUG STORE BEETLES, GRAIN MITES, GRANARY WEEVILS, RED FLOUR BEETLES, RICE WEEVILS, AND SAW-TOOTHED GRAIN BEETLES (For exposed adult and larval stages): Apply as a Crack and Crevice treatment into cracks and crevices of pantries, cabinets, food processing and handling equipment and other places where insects harbor or as a Space Treatment at a rate of 20 seconds per 1,000 cu. ft. Also apply around cartons, containers, and other areas where these insects tend to congregate. Contact as many insects as possible. Repeat treatment weekly or as insects appear. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

ANGOUIMOIS GRAIN MOTH, CHOCOLATE MOTH, INDIAN MEAL MOTH, MEDITERRANEAN FLOUR MOTH (For exposed adult and larval stages): Apply as a Space Treatment at a rate of 5 to 10 seconds for each 1,000 cu. ft. Close all doors and windows. Direct into all parts of room, especially around stored product containers, pallets, and darkened areas. Keep area closed for 15 minutes following treatment. Open and ventilate before reoccupying. Repeat treatment weekly or as necessary. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

FLEAS IN BUILDINGS: Hold product 36" above floor and direct spray toward floor and lower walls treating at a rate of 10 seconds per 100 sq. ft. Make sure that all floor, sofa and chair surfaces are contacted. Keep area closed for 15 minutes. Open and ventilate before re-occupying. Repeat treatment after 7 days or as necessary.

TICKS: Holding container 36" above the floor, direct spray toward pet beds and resting quarters treating at a rate of 10 seconds per 100 sq. ft. Also apply as a Crack and Crevice treatment into adjacent cracks and crevices such as behind baseboards and edges of carpet and

floor covers. Also treat higher cracks such as upper door jams and window framing, behind pictures and other areas where females may crawl to lay eggs. Repeat treatment as necessary.

IN HOSPITALS AND NURSING HOMES

Apply according to specific directions for pest(s) to be treated. Patients should be removed from room prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation.

FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

Apply according to specific directions for pest(s) to be treated. When applying as a Space Treatment in food handling areas, the areas of the operation being treated should be shut down. In food processing areas, all utensils, shelving, etc., where food will be handled should be covered or removed before treatment or thoroughly washed with an effective cleaning compound followed by a potable water rinse prior to use.

OUTDOOR TREATMENTS

GROUND APPLICATION (Flies, Gnats and Mosquitoes): Treat open areas near buildings and in campgrounds. Apply at a rate of 5 to 15 seconds per thousand square feet. Apply in wide swaths across area to be treated. Allow treatment to penetrate dense foliage. Repeat treatment as necessary. Best results are obtained when wind speed is five (5) MPH or less.

FLIES, CLUSTER FLIES, CLOVER MITES, MUD DAUBERS AND WASPS: Apply mist directly on insects and their nests from approximately 18 inches. Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Disperse into hiding and breeding places contacting as many insects as possible.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool area away from heat or open flame.

PESTICIDE DISPOSAL: Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not puncture or incinerate! Empty container by using the product according to the label directions. Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. If container is partly filled, contact your local solid waste agency or call 1-800-CLEANUP for disposal instructions.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



A PRESCRIPTION TREATMENT® brand insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682
www.wmmg.com

© 2004 Whitmire Micro-Gen Research Laboratories, Inc.

NOTE: This specimen label is for informational purposes only. All uses may not be approved in all states. See labeling which accompanied product for Directions for Use or call 800-777-8570 for more information.

040210-30B3 (rev. 2/04)

M A T E R I A L S A F E T Y D A T A S H E E T

PRESCRIPTION TREATMENT® brand P.I.® Contact Insecticide Formula 1

EMERGENCY PHONE NUMBERS:

MEDICAL: 800-225-3320 (PROSAR)

TRANSPORTATION: 800-424-9300 (CHEMTREC)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: PRESCRIPTION TREATMENT brand P.I.
Contact Insecticide Formula 1
EPA Reg. No.: 499-444
Product Code: 02-0565-3
EPA Signal Word: CAUTION
Distributed by: Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

COMPOSITION INFORMATION

ACTIVE INGREDIENTS (4.50%)	%	CAS NO.
Pyrethrins	0.5 %	8003-34-7
Pyperonyl Butoxide, Technical	4.00 %	51-03-6
OTHER INGREDIENTS* (95.50%)	%	CAS NO.
Petroleum Distillate	> 10%	64742-47-8
Dimethyl Ketone	59.5%	67-64-1
Hydrocarbon Propellant	proprietary	68476-85-7

* All ingredients may not be listed. Ingredients not listed do not meet the reporting requirements of the OSHA Hazard Communication Standard (HCS) as specified in 29 CFR 1910.1200.

EXPOSURE INFORMATION

Material	OSHA PEL		ACGIH TLV	
	STEL	TWA	STEL	TWA
Pyrethrins	NE	5 mg/M ³	10 mg/M ³	5 mg/M ³
Pyperonyl Butoxide, Technical	NE	NE	NE	NE
Petroleum Distillate	NE	500 ppm	NE	NE
Acetone	NE	750 ppm	1000 ppm	750 ppm
Hydrocarbon Propellant	1000 ppm	NE	NE	NE

SECTION 3. HAZARDS IDENTIFICATION

NOTE TO PHYSICIAN

Contains petroleum distillate - vomiting may cause aspiration pneumonia.

SIGNS/SYMPTOMS OF EXPOSURE

Product may produce eye irritation; avoid contact with eyes. Prolonged exposure may cause skin irritation; avoid contact with skin.

ROUTES OF ENTRY

Primary: Inhalation **Secondary:** Skin **Tertiary:** Ingestion

HAZARDOUS DECOMPOSITION PRODUCTS

Thermal decomposition in open flame will result in carbon dioxide and carbon monoxide.

UNUSUAL FIRE, EXPLOSION AND REACTIVITY HAZARDS

Contents under pressure. Exposure to temperatures above 130° F may cause bursting.

SECTION 4. FIRST AID MEASURES

Have the product container or label with you when calling a poison control center or doctor or going for treatment. Describe any symptoms and follow the advice given.

Ingestion: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person.

Skin Contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Eye Contact: Hold eyes open and rinse slowly and gently for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

Inhalation: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Note to Physician: Contains petroleum distillate - vomiting may cause aspiration pneumonia.

Medical Conditions Generally Aggravated by Exposure: none known

SECTION 5. FIRE FIGHTING MEASURES

FIRE AND EXPLOSION

Flame Projection: > 18"

Flashpoint (TCC): -4° F

Explosibility limits of propellant in air (% by volume):

Lower (LEL) = 2.5%

Upper (UEL) = 13%

NFPA 30B Flammability: Level III Aerosol

UNUSUAL FIRE, EXPLOSION AND REACTIVITY HAZARDS

Contents under pressure. Exposure to temperatures above 130° F may cause bursting.

IN CASE OF FIRE

Extinguisher Media: CO₂; Dry Chemical; Foam

Special Fire Fighting Procedures: None required.

SECTION 6. ACCIDENTAL RELEASE MEASURES

IN CASE OF SPILL OR LEAK

If container begins to leak (through puncture, etc.), allow to discharge completely in well ventilated area, then dispose of as directed below. This product contains the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) listed chemical Pyrethrins which has a reportable quantity (RQ) of 1 lb. A release of more than 200 pounds of this product (approx. 178 containers) is reportable to the National Response Center (800-424-8802).

Emergency Telephone Number of Chemtrec: (800) 424-9300 (for transportation spills)

PROTECTIVE EQUIPMENT

Eyes: Use proper protection - safety glasses are recommended.

Skin: Wear chemical resistant gloves. Wash hands after handling material. (Good practice requires that gross amounts of any chemical be removed from the skin as soon as practical, especially before eating or smoking.)

Inhalation: Use of a respirator may be appropriate when working with spills in enclosed or confined spaces, or when prolonged exposure to product vapor or spray mist may occur. When using a respirator, wear a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P or HE prefilter.

WASTE DISPOSAL METHOD

Do not contaminate water, food or feed by storage or disposal of wastes. Take full or leaking containers to a local disposal company for biological treatment or incineration. Review all local, State, and Federal regulations concerning health and pollution to determine approved disposal procedures. NEVER PLACE WASTES DOWN ANY INDOOR OR OUTDOOR DRAIN OR SEWER.

SECTION 7. HANDLING AND STORAGE

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Keep out of reach of children. CAUTION - Harmful if absorbed through skin.

Avoid contact with eyes, skin, or clothing. Wash hands before eating, drinking, chewing gum, or using the toilet.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

STORAGE

Store in a cool area away from heat or open flame.

SECTION 8. EXPOSURE CONTROL / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Respiratory Protection: For prolonged exposure or if used in enclosed areas, a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P or HE prefilter may be used.

Protective Gloves: Chemical resistant gloves are recommended if prolonged or repeated skin contact is likely. (Good practice requires that gross amount of any

M A T E R I A L S A F E T Y D A T A S H E E T

PRESCRIPTION TREATMENT® brand P.I.® Contact Insecticide Formula 1

chemical be removed from the skin as soon as practical, especially before eating or smoking.)

Eye Protection: Use proper protection – safety glasses are recommended.

Other Protective Equipment: None required.

VENTILATION

Local Exhaust: None required.

Mechanical: Provide adequate ventilation of treatment area.

Special: None required.

Other: None required

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Coarse spray

Solubility in Water: Soluble

Viscosity: NE

Boiling Point: NE

pH: NE

Odor: Characteristic Pyrethrin odor

Vapor Pressure: 95 psig @ 70° F

Vapor Density: NE

Freezing/Melting Point: NE

Density: 0.80 g/ml @ 20° C

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY

Stability: Indefinite when used according to label directions.

Conditions to Avoid: Do not spray into open flame or onto very hot surfaces.

Incompatibility (Material to Avoid): None known.

Hazardous Polymerization: Will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS

Thermal decomposition in open flame may result in carbon dioxide and carbon monoxide.

SECTION 11. TOXICOLOGICAL INFORMATION

ROUTES OF ENTRY

Primary: Inhalation **Secondary:** Skin **Tertiary:** Ingestion

ACUTE

Eye: Product did not produce any conjunctival irritation, nor was any corneal opacity or iritis observed (rabbits).

Skin: Acute Dermal Toxicity - LD₅₀ (rabbits) > 2000 mg/kg. Does not appear to be a dermal sensitizer to guinea pigs. Primary skin irritation = 0.13 (rabbits).

Inhalation & Inhalation: Unlikely due to the product being pressurized and producing particles large enough not to be respirable. Acute oral toxicity: LD₅₀ > 5000 mg/kg. Acute inhalation toxicity: LD₅₀ > 4.53 mg/L.

CHRONIC / CARCINOGENICITY

Neither this product nor any of its ingredients are classified as carcinogens by the National Toxicity Program (NTP), the International Agency for Research on Cancer (IARC) or the Occupational Safety and Health Administration (OSHA).

SECTION 12. ECOLOGICAL INFORMATION

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

SECTION 13. DISPOSAL CONSIDERATION

Do not contaminate water, food or feed by disposal. Dispose of containers and wastes in accordance with all Federal, state and local regulations.

Container Disposal: Do not puncture or incinerate! Empty container by using the product according to the label directions. Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. If container is partly

filled, contact your local solid waste agency or call 1-800-CLEANUP for disposal instructions.

Waste Disposal: Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

SECTION 14. TRANSPORT INFORMATION

SHIPMENT BY GROUND WITHIN U.S. (DOT CLASSIFICATION)

Proper Shipping Description: Consumer Commodity, ORM-D

Package Marking: "Consumer Commodity, ORM-D"

Package Labeling: No label required.

Certified Packaging: Not required.

SHIPMENT BY WATER (IMDG CLASSIFICATION)

Proper Shipping Description: Dangerous Goods in Limited Quantities of Class 2.1

Package Marking: "Dangerous Goods in Limited Quantities of Class 2.1"

Package Labeling: No label required.

Certified Packaging: Not required.

SHIPMENT BY AIR (ICAO/IATA CLASSIFICATION)

Proper Shipping Description: Aerosols, Flammable, 2.1, UN 1950

Package Marking: Aerosols, Flammable, UN 1950, LTD. QTY.

Package Labeling: Flammable Gas

Certified Packaging: Not required.

Other Requirements or Instructions: Complete air bill with packing instruction "Y203, ERG code 10L".

SECTION 15. REGULATORY INFORMATION

CERCLA

This product contains the CERCLA listed chemical Pyrethrins which has a reportable quantity (RQ) of 1 lb.

SARA TITLE III SECTION 311/312 HAZARD CLASS

This product has been reviewed according to the EPA "Hazard Categories" promulgated under Section 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Acute Health Hazard
Fire Hazard
Release of Pressure (Puncture) Hazard

SARA TITLE III SECTION 313 CHEMICALS

This product contains the following substances subject to the reporting requirements of Section 313 of the Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

Piperonyl butoxide	4.00% by weight
Dimethyl Ketone	59.5% by weight

TSCA

All components of this product are listed or excluded from listing on the US Toxic Substance Control Act (TSCA) Chemical Substance Inventory.

SECTION 16. OTHER INFORMATION

NFPA HEALTH RATING INFORMATION

HEALTH - 1 FLAMMABILITY - 2 REACTIVITY - 1

HMIS HAZARD RATING INFORMATION

HEALTH - 1 FLAMMABILITY - 2 REACTIVITY - 1

KEY: 4 = Severe
3 = Serious
2 = Moderate
1 = Slight
0 = Minimal

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.

Questions concerning the safe handling of the product should be referred to the Whitmire Micro-Gen Customer Service Department at 800-777-8570.

NA - Not Applicable
NE - Not Established
PEL - Permissible Exposure Limit
TLV - Threshold Limit Value
STEL - Short Term Exposure Limit (15 min.)
TWA - Time Weighted Average (8 hrs)



WHITMIRE MICRO-GEN
RESEARCH LABORATORIES, INC.

Effective Date: 2/9/04
Review Date: NA
Supersedes: 6/18/01
Code #: 147-087
Text ID: 020912-3
Part No.: 19-0714-3